K

Notice of Allowability	Application No.	Applicant(s)
	10/772,549	HISHINUMA, KAZUO
	Examiner	Art Unit
	Alandra Ellington	2855
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commining IGHTS. This application is s	n this application. If not included unication will be mailed in due course. THIS
1. \boxtimes This communication is responsive to <u>applicant's filing date</u>	<u>2/5/04</u> .	
2. 🔀 The allowed claim(s) is/are <u>1-9</u> .		
3. The drawings filed on <u>05 February 2004</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	be been received. been received in Application	on No
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers to Paper No./Mail Date including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the deponsion of the deponsion	son's Patent Drawing Review . s Amendment / Comment or .84(c)) should be written on the header according to 37 CF sit of BIOLOGICAL MATI	tin the Office action of the drawings in the front (not the back) of R 1.121(d). ERIAL must be submitted. Note the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date	5. ☐ Notice of In 6. ☐ Interview S Paper No. 7. ☐ Examiner's	formal Patent Application (PTO-152) ummary (PTO-413), 'Mail Date Amendment/Comment Statement of Reasons for Allowance

Application/Control Number: 10/772,549 Page 2

Art Unit: 2855

Allowable Subject Matter

1. Claims 1-9 are allowed.

Reasons for Allowance

- 2. The following is an examiner's statement of reasons for allowance: The reasons for allowance of the claims are based on the inclusion of:
 - a. In Claims 1 and 5, the method step of setting heat seal width at a peel length having a peel energy higher than the peel energy of the test piece heat-sealed at a temperature of or higher than the fusion temperature;
 - b. In Claim 7, the method step of determining the position of the pull strength lower than the peak of the maximum pull strength by 20% which is set from experimental results by considering experimental error on the side of higher heat-sealing temperature than the peak;
 - c. In Claim 9, the method step of determining the position of the pull strength lower than the peak of the maximum pull strength by 20% which is set from experimental results by considering experimental error on the side of higher heat-sealing temperature than the peak; setting heat seal at a peel length having a peel energy higher than the peel energy obtained in the method step of calculating the peel energy of the test piece at a temperature at a position or higher than that by integrating the pull strength variation up to rupture at heat-sealed portion.

Application/Control Number: 10/772,549

Art Unit: 2855

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 3

Conclusion

- 4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
 - a. Higo et al (4,979,394) discloses a non-destructive inspection method.
 - b. Lehtikoski et al (4,550,613) discloses an apparatus for automatic determination of tensile strength properties of a sheet of paper.
 - c. Tanaka et al (6,568,533) discloses a peelable package and peelable packaging method.
 - d. Sugiyama et al (6,689,177) discloses a laminating structure with a sealing means for fusing thermoplastic material.
 - e. Kato et al (5,527,622) discloses a packaging laminate material.
 - f. Mihara et al (US 2002/0151438 A1) discloses a thermal transfer imagereceiving sheet.
- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alandra Ellington whose telephone number is (571) 272-2178. The examiner can normally be reached on Monday Friday, 7:30am 4:00pm.
- 6. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Lefkowitz can be reached on (571) 272-2180. The fax phone

٠. سي

Art Unit: 2855

number for the organization where this application or proceeding is assigned is 703-872-9306.

7. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Alandra Ellington Art Unit 2855

ane

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800